

CELLULAR PVC, LAMINATED AND PRESSURE TREATED WOOD PROFILES FOR THE DOOR INDUSTRY













- Low Maintenance
- Does not absorb moisture
- Easy to work with existing woodworking equipment
- Create round tops, circles, ellipicals, ovals and octagons
- Will not rot
- Easy to bend
- Improved screw holding over pine
- Can be nailed, sawed, drilled and routed

Local: (414)228-9800

■ Customer Service Fax: (414)228-0342

■ Fax: (414)228-9077

986 - White

PROFILE	PATTERN	CODE	SIZE
	Astragal WM 133	609	11/16" x 1-3/4"
	Base Shoe	127	7/16" x 3/4"
	Base Shoe	051	3/8" x 1/2"
	Brick Mould with duracap capstocks 3 sides	850	1-1/4" x 2"
	Brick Mould w'screen Kerf Kerf Specs .3125 x .1875	6850	1-1/4" x 2"
	Brick Mould	357	1-1/4" x 2"
	Brick Mould	327	5/8" x 1-5/8"
	New England Brick Mould	256	1-1/16" x 3-1/4"
	New England Brick Mould	553	1-1/16" x 3-1/4"
	(Stucco) Brick Mould	730	3/4" x 1-1/4"
	Brick Mould Virgin	635	1-1/4" x 2"
	PG Paint Grade white	635	1-1/4" x 2"

CELLULAR PVC, LAMINATED AND PRESSURE TREATED WOOD PROFILES FOR THE DOOR INDUSTRY

- Low Maintenance
- Does not absorb moisture
- Easy to work with existing woodworking equipment
- Create round tops, circles, ellipsicals, ovals and octagons
- Will not rot
- Easy to bend
- Improved screw holding over pine
- Can be nailed, sawed, drilled and routed

Local: (414)228-9800

■ Customer Service Fax: (414)228-0342

■ Fax: (414)228-9077

986 - White

PROFILE	PATTERN	CODE	SIZE
	Brick Mould 1" Flange w/slotted Fastening Holes for	862	1-1/4" x 2"
	Brick Mould 1" Flange w/slotted Fastening Sliding Pocket Holes for J-Channel	657	1-1/4" x 2"
	Door Jamb	0080	4-9/16" x 1-1/4"
	Door Jamb	0080	5-1/4" x 1-1/4"
	Door Jamb	0219	6-9/16" x 1-1/4"
	Door Jamb	0080	6-3/4" x 1-1/4"
	Transom Frame	0192	1-1/4" x 4-9/16"
	Transom Sill	0129	5/8" x 2-7/32"
	Trim Board	0086	11/32" x 5-54/64"
	Trim Board	541	3/8" x 4"
	Glass Bead	2002	13/32" x 1/2"
	Mull	326	1" x 1-11/16"
	Mull	950	9/16" x 1-7/16"
	Mull (also comes with capstock)	802	1-1/16" x 1-15/32"

CELLULAR PVC, LAMINATED AND PRESSURE TREATED WOOD PROFILES FOR THE DOOR INDUSTRY






- Low Maintenance
- Does not absorb moisture
- Easy to work with existing woodworking equipment
- Create round tops, circles, ellipsicals, ovals and octagons
- Will not rot
- Easy to bend
- Improved screw holding over pine
- Can be nailed, sawed, drilled and routed

Local: (414)228-9800

■ Customer Service Fax: (414)228-0342

■ Fax: (414)228-9077

986 - White

PROFILE	PATTERN			CODE	SIZE
	Stop (Parting)			1234	3/8" x 1/2"
	Stop			035	5/16" x 1-1/16"
	Stop			033	3/8" x 1-3/8"
	Stop			936	7/16" x 1-3/8"
	Brick Mould	Wood Brickmould sides	Laminated - 3	180	1-1/4" x 2"